

¹Hareesh K. N.,
²Eshwarappa M. N.

A Novel h-CNN Architecture based Brain Tumor Classification



Abstract

This article presents an innovative approach to classifying brain tumors as benign or malignant using fused CT and MRI images. A novel hybrid-convolutional neural network (h-CNN) architecture is proposed, which leverages the complementary strengths of CT and MRI imaging modalities to enhance classification accuracy. The CNN architecture is designed to extract and integrate critical features from the fused images, providing a robust framework for tumor analysis. To further refine the classification process, a Vector Machine (SVM) is employed, enhancing the differentiation between benign and malignant tumors. The study demonstrates that combining CNN and SVM, called as hybrid CNN, significantly improves classification performance compared to traditional methods. Extensive experimentation on a comprehensive dataset of brain tumor images reveals the efficacy of the proposed approach, with results indicating superior accuracy, sensitivity, and specificity. This hybrid model not only advances the state-of-the-art in medical image analysis but also holds substantial potential for clinical application, offering a reliable tool for early and accurate brain tumor diagnosis. The integration of fused imaging techniques and advanced machine learning algorithms marks a significant step forward in the field of medical diagnostics, potentially improving patient outcomes through timely and precise intervention.

Keywords: Brain tumor Analysis, Computed Tomography (CT) Image, Convolutional Neural Network (CNN), Support Vector Machine (SVM).

1. INTRODUCTION

The detection and classification of brain tumors are critical tasks in medical diagnostics, significantly influencing treatment planning and patient outcomes. Brain tumors can be classified into two main categories: benign and malignant. Accurate differentiation between these types is essential as it impacts the therapeutic approach and prognosis. Traditionally, medical imaging techniques such as computed tomography (CT) and magnetic resonance imaging (MRI) have been widely used for brain tumor detection and analysis. Each modality offers unique advantages; CT scans provide detailed information on bone structures and calcifications, while MRI excels in soft tissue contrast, making it invaluable for detecting and characterizing brain tumors [1]. However, relying on a single imaging modality can limit diagnostic accuracy due to inherent weaknesses in individual techniques. To address this limitation, image fusion has emerged as a promising solution, combining CT and MRI images to leverage their complementary strengths. This fusion provides a more comprehensive view, enhancing the visualization and characterization of brain tumors. Recent advancements in machine learning, particularly convolutional neural networks (CNNs), have revolutionized image analysis by enabling automatic feature extraction and classification with high accuracy. CNNs have demonstrated remarkable performance in various medical imaging tasks, including tumor detection and classification. Nevertheless, the challenge remains to develop models that can effectively integrate multimodal imaging data for improved diagnostic accuracy [2]. In this study, we propose a novel CNN architecture specifically designed to process fused CT and MRI images for brain tumor classification. Our approach aims to harness the detailed structural information from CT images and the superior soft tissue contrast from MRI images [3]. By integrating these modalities, we enhance the feature extraction process, allowing for more accurate tumor characterization. To further refine our classification framework, we incorporate a Support Vector Machine (SVM), known for its robust performance in high-dimensional spaces, to differentiate between benign and malignant tumors [26]. The proposed methodology involves several key steps: image preprocessing and fusion, CNN-based feature extraction, and SVM-based classification. Through extensive experimentation and validation on a comprehensive

¹Department of Electronics and Telecommunication Engineering, Sri Siddhartha Institute of Technology, Tumakuru-572105, Karnataka, India. Email: kn.hareesh@gmail.com

²Department of Electronics and Communication Engineering, Sri Siddhartha Institute of Technology, Tumakuru-572105, Karnataka, India. Email: jenuce2016@gmail.com

dataset, we demonstrate the effectiveness of our approach. Our results indicate significant improvements in classification accuracy, sensitivity, and specificity compared to traditional single-modality methods [4]. This paper contributes to the field of medical image analysis by introducing a hybrid model that combines the strengths of CNNs and SVMs with multimodal imaging techniques. The proposed system not only advances the technological capabilities of brain tumor diagnostics but also has the potential to significantly impact clinical practice, providing a reliable tool for early and precise tumor classification, ultimately leading to better patient management and outcomes. The remaining sections of this article are organized as follows: Section 2 summarizes the related work in brain tumor classification using medical imaging and feature extraction techniques. Section 3 discusses the study's materials and methods, which include the dataset, image preprocessing, feature extraction, and classification algorithms. Section 4 offers the experimental data and discussions, while Section 5 contains the conclusions and future study prospects.

2. EXISTING PREVIOUS WORKS

Brain tumor classification is a vital step in medical imaging analysis, allowing for precise diagnosis and therapy planning. CT and MRI are among the most commonly used imaging modalities for brain tumor identification due to their ability to offer precise structural information. However, each method has limitations in terms of sensitivity and specificity. The fusion of CT and MRI images has been offered as a solution to these limitations by merging the complimentary information provided by each modality. In recent years, texture characteristics derived using the GLCM [24] have proven useful in image analysis tasks such as brain tumor classification [5-7].

2.1. Tumor Detection

The identification of brain tumors has been extensively studied using various imaging modalities and computational techniques. Traditional methods primarily rely on MRI and CT scans, which are analyzed manually by radiologists to detect abnormalities. Early approaches focused on enhancing image quality and employing basic machine learning algorithms for preliminary classification tasks [8]. In recent years, deep learning techniques, particularly CNNs, have gained prominence due to their superior ability to automatically extract relevant features from medical images. Numerous studies have demonstrated the effectiveness of CNNs in distinguishing between benign and malignant brain tumors. For instance, CNN-based frameworks have been applied to MRI images, achieving high accuracy in tumor detection and segmentation. Additionally, the integration of machine learning algorithms like SVM with CNNs has shown promise in improving classification performance. Recent research has also explored the fusion of different imaging modalities [27], such as combining MRI with positron emission tomography (PET) [25] or CT, to enhance diagnostic accuracy [9]. These multimodal approaches leverage the strengths of each imaging technique, providing a more comprehensive assessment of tumor characteristics. Overall, the literature indicates a clear trend towards the adoption of advanced deep learning models and multimodal imaging techniques to improve the identification and classification of brain tumors [10].

2.2. CT Images and their relevance in brain tumor diagnosis

CT imaging has been a cornerstone in the diagnostic evaluation of brain tumors due to its ability to provide detailed anatomical information and high-resolution images of cranial structures. CT scans are particularly effective in detecting calcifications, bone involvement, and acute hemorrhages, which are critical in the assessment of brain tumors. Historically, CT imaging has been widely used for initial tumor detection and has played a significant role in preoperative planning. Numerous studies have explored the application of CT imaging in brain tumor classification, highlighting its utility in identifying tumor size, location, and the presence of necrotic or hemorrhagic regions. For instance, research has demonstrated that CT imaging can distinguish between high-density lesions indicative of malignant tumors and lower-density benign tumors. However, the limitations of CT imaging, such as its lower contrast resolution compared to MRI, necessitate the integration of advanced computational techniques to enhance its diagnostic accuracy. Recent advancements have focused on the development of machine learning algorithms and image processing techniques to improve the classification performance of CT images. Despite its limitations, CT imaging remains an integral part of the multimodal approach to brain tumor classification, providing essential information that complements other imaging modalities [11-12].

2.3. MRI images and their relevance in brain tumor diagnosis

MRI has long been a cornerstone in the diagnosis and evaluation of brain tumors due to its exceptional ability to produce detailed images of the brain's soft tissues. Unlike CT scans, which use ionizing radiation, MRI utilizes powerful magnetic fields and radio waves to generate high-resolution images, making it particularly effective for identifying and characterizing brain abnormalities [13]. Several studies have underscored the efficacy of MRI in distinguishing between various types of brain tumors, such as gliomas, meningiomas, and metastases, based on their unique imaging characteristics. Advanced MRI techniques, including functional MRI (fMRI), diffusion-weighted imaging (DWI), and magnetic resonance spectroscopy (MRS), have further enhanced the diagnostic capabilities by providing insights into the physiological and metabolic properties of brain tissues [14]. These techniques allow for a more comprehensive assessment of tumor heterogeneity, aiding in the differentiation between benign and malignant tumors. Moreover, the integration of machine learning algorithms with MRI imaging has shown promising results in automating and improving the accuracy of tumor detection and classification. As such, MRI remains an indispensable tool in the arsenal of neuroimaging, significantly contributing to the early diagnosis, treatment planning, and monitoring of brain tumors [15].

2.4. Fusion of CT and MRI Images with GLCM Features

The fusion of CT and MRI images has been an area of active research in medical imaging, offering the potential to harness the complementary strengths of both modalities for enhanced diagnostic accuracy. One prominent technique involves the extraction of texture features using the Gray-Level Co-occurrence Matrix (GLCM). GLCM is a statistical method that examines the spatial relationship between pixels, providing valuable information about the texture of an image. Studies have demonstrated that GLCM features can significantly improve the characterization of tissue heterogeneity, which is crucial for distinguishing between benign and malignant tumors. For instance, Li et al. (2020) successfully employed GLCM features from fused CT and MRI images to improve the accuracy of brain tumor classification [16]. Similarly, Kumar et al. (2018) integrated GLCM-based texture analysis with image fusion techniques, resulting in improved sensitivity and specificity in tumor detection. These advancements underscore the importance of combining multimodal imaging with robust feature extraction methods like GLCM to enhance the diagnostic capabilities of automated systems. The current study builds on this foundation, integrating GLCM features within a novel CNN-SVM framework to further push the boundaries of brain tumor classification accuracy using fused CT and MRI images [17].




Fig. 1 Proposed framework for brain tumor diagnosis utilizing fused images with novel CNN architecture

The proposed framework for brain tumor diagnosis utilizes the strengths of fused CT and MRI images combined with an advanced CNN architecture and a SVM classifier which is as shown in Fig. 1. This multi-step framework begins with the preprocessing and fusion of CT and MRI images. The fusion process aims to integrate the high-contrast soft tissue details from MRI with the precise anatomical information from CT, producing a single, enhanced image that encapsulates the critical features from both modalities. Following image fusion, the next step involves feature extraction using a novel CNN architecture. The CNN is specifically designed to handle the fused image input, enabling it to learn and extract deep, meaningful features that are indicative of brain tumors. The architecture includes multiple convolutional layers to capture spatial hierarchies and complex patterns within the fused images, along with

pooling layers to reduce dimensionality and computational complexity. The CNN's deep layers focus on capturing both fine-grained details and high-level abstractions, essential for accurate tumor classification. After feature extraction, the obtained features are fed into an SVM classifier. The SVM is chosen for its robustness in handling high-dimensional data and its effectiveness in binary classification tasks. By integrating the CNN with SVM, the framework benefits from the CNN's powerful feature extraction capabilities and the SVM's precision in classification. This combination ensures a more reliable distinction between benign and malignant tumors. Extensive experimentation is conducted to validate the proposed framework, utilizing a comprehensive dataset of brain tumor images. Performance metrics such as accuracy, sensitivity, and specificity are used to evaluate the system. The results indicate that the proposed method outperforms traditional single-modality approaches and standalone classifiers, demonstrating significant improvements in diagnostic accuracy. Overall, this innovative framework represents a substantial advancement in medical image analysis, providing a robust tool for early and accurate brain tumor diagnosis, which is critical for effective patient management and treatment planning.

3.1. Database

The brain tumor image dataset available on Kaggle consists of CT and MRI images from 38 patients, providing a valuable resource for medical imaging research. To enhance the dataset and improve the robustness of the models, the original images are augmented, resulting in 180 CT and 180 MRI images. This augmentation includes various transformations such as rotations, scaling, and flips to increase the diversity of the dataset, making the models more generalizable. The augmented CT and MRI images are then fused using the Bi-Level Stationary Wavelet Transform (BLSWT), a sophisticated technique that merges the complementary features of both imaging modalities. BLSWT effectively combines the detailed anatomical structure from CT scans with the high-contrast soft tissue information from MRI, producing a comprehensive fused image for each pair. This fusion process results in a set of 180 enhanced images, which serve as the input for advanced diagnostic frameworks, facilitating more accurate and reliable brain tumor classification. [18]. The fused images, created by combining the CT and MRI images using the BLSWT, serve as the critical input data for the deep learning network designed for brain tumor classification. Each of these fused images is resized to a standard dimension of 227 x 227 pixels. This resizing is essential to ensure compatibility with the input requirements of the CNN architecture, which is optimized to handle images of this specific size. Once resized, the 227 x 227 fused images are fed into the deep learning network, which is designed to extract and learn hierarchical features pertinent to tumor classification. The deep learning model, particularly the CNN, processes these images through multiple layers of convolutional filters, pooling operations, and activation functions. These layers work together to identify patterns, textures, and other critical features that distinguish benign from malignant tumors. The CNN's architecture allows it to automatically learn and abstract important features from the input images, improving the model's ability to generalize from the training data. By standardizing the input size to 227 x 227 pixels, the model can maintain consistency across all input images, leading to more stable and reliable training and inference processes. This standardized input size also facilitates the use of pre-trained models and architectures, which are often optimized for this specific dimension, thereby enhancing the efficiency and effectiveness of the training process. Ultimately, these carefully processed and resized fused images enable the deep learning network to achieve high accuracy in brain tumor classification, utilizing the combined strengths of CT and MRI imaging to provide robust diagnostic insights.

3.2. Novel h-CNN Architecture




Fig. 2 Novel h-CNN Architecture for Classifying Images of Brain tumors

The proposed novel CNN architecture shown in Fig. 2 for brain tumor image classification is designed to use the detailed fused images derived from CT and MRI scans, facilitating accurate differentiation between benign and malignant tumors. The architecture consists of ten convolutional layers and four max-pooling layers, followed by a SVM for the final classification stage. The initial stage of the network comprises convolutional layers, which are responsible for feature extraction. Each convolutional layer applies a series of filters to the input images, capturing various low-level features such as edges, textures, and patterns. These features become progressively more abstract and complex as the images pass through successive layers. The network's depth, with ten convolutional layers, allows it to learn a rich hierarchy of features essential for distinguishing between different types of brain tumors. Interspersed among the convolutional layers are four max-pooling layers. These pooling layers perform down-sampling operations that reduce the spatial dimensions of the feature maps, thereby decreasing the computational load and the risk of overfitting. Max pooling specifically selects the maximum value from each region of the feature map, preserving the most significant features while discarding less critical information. This process helps the network to focus on the most salient aspects of the images, enhancing the robustness of the feature extraction. After passing through the convolutional and pooling layers, the extracted features are flattened into a single vector. This vector serves as the input to the final stage of the network, which is an SVM classifier. The SVM is known for its effectiveness in high-dimensional spaces and is particularly suited for binary classification tasks, making it an ideal choice for distinguishing between benign and malignant tumors. By integrating an SVM at the end of the CNN, the architecture combines the deep feature extraction capabilities of the CNN with the precise classification power of the SVM. This hybrid approach, using a deep CNN for feature extraction followed by an SVM for classification, results in a powerful framework for brain tumor diagnosis. It leverages the strengths of both methods, enabling the system to achieve high accuracy and reliability in classifying brain tumors from fused CT and MRI images. This architecture not only enhances diagnostic precision but also holds promise for improving clinical outcomes through early and accurate tumor detection.

3.3. Evaluation of Proposed Architecture

Several performance indicators are frequently employed in the context of SVM-based classification to assess the classifier's efficacy. These measures consist of the F1 score, recall, accuracy, and precision. Every metric offers distinct perspectives on the performance of the classifier. The mathematical relations for the metrics are as indicated above, where TP, TN, FP, and FN are True positives, true negative, false positive and false negatives respectively.

$$Accuracy = \frac{TP + TN}{TP + TN + FP + FN} \quad (1)$$

Accuracy provides an overall assessment of the model's correctness in making predictions.

Precision is the ratio of correctly predicted positive observations to the total predicted positive observations.

$$Precision = \frac{TP}{TP + FP} \quad (2)$$

Recall is the ratio of correctly predicted positive observations to all observations in the actual class.

$$Recall = \frac{TP}{TP + FN} \quad (3)$$

The F1 Score is the harmonic mean of Precision and Recall. It provides a single metric that balances both the concerns of Precision and Recall.

$$F1\ Score = \frac{2 \times Precision \times Recall}{Precision + Recall} \quad (4)$$

4. CLASSIFICATION RESULTS

The classification of brain tumors into benign and malignant categories using fused CT and MRI images has been significantly enhanced by the proposed CNN with SVM architecture, implemented in MATLAB. This approach begins with preprocessing and fusing CT and MRI images to combine the strengths of both imaging modalities, providing a comprehensive input for the classifier. The CNN, designed with ten convolutional layers and four max-pooling layers, is adept at extracting detailed and hierarchical features from these fused images. After feature extraction, the SVM classifier, known for its robustness in high-dimensional spaces, performs the final classification into benign or malignant tumors. MATLAB's robust environment, coupled with its extensive image processing and machine learning toolboxes, facilitates the implementation of this advanced architecture. Key toolboxes required include the Deep Learning Toolbox for CNN design and training, the Image Processing Toolbox for image fusion and preprocessing, and the Statistics and Machine Learning Toolbox for implementing the SVM classifier. The benign and malignant tumour images are as indicated in Fig. 3 and 4.




Fig. 3 Benign tumor (a) CT Image (b) MRI Image (c) Fused Image




Fig. 4 Malignant tumor (a) CT Image (b) MRI Image (c) Fused Image

The layer wise architectural details of the proposed CNN-SVM hybrid classifier is as highlighted in Fig.5. From the relu_4 layer, 4608 features in total are recovered, and these features are then input into a linear SVM for classification. The performance of the novel CNN-SVM technique for brain tumor classification is rigorously evaluated using 10-fold cross-validation, a robust method to ensure the reliability and generalizability of the model. This process involves the following steps:

- The entire dataset is randomly divided into 10 equal-sized subsets, or "folds". Each fold contains a representative sample of the dataset, maintaining the balance between benign and malignant tumor images within each fold.

- The model undergoes 10 iterations of training and validation. In each iteration, one of the 10 folds is set aside as the validation set, while the remaining 9 folds are combined to form the training set. This way, each fold gets the opportunity to be used as the validation set exactly once. Further, for each iteration, the CNN-SVM architecture is trained using the 9 training folds. The CNN component extracts hierarchical features from the fused CT and MRI images, while the SVM classifier uses these features to distinguish between benign and malignant tumors. After training, the model is evaluated using the validation set (the fold that was set aside). Performance metrics are calculated based on the model's predictions for this validation set.
- Throughout the 10 iterations, various performance metrics are recorded, including accuracy (the proportion of correctly classified instances), precision (the proportion of true positive predictions among all positive predictions), recall (the proportion of actual positives correctly identified), and the F1 score (the harmonic mean of precision and recall). Each metric provides insights into different aspects of the model's performance, ensuring a comprehensive evaluation.
- After completing all 10 iterations, the performance metrics from each iteration are averaged to obtain the final evaluation results. This averaging process smooths out any anomalies or variances that might arise from a particular data split, providing a more reliable assessment of the model's overall performance.

ANALYSIS RESULT			
	Name	Type	Activations
1	imageinput 227*227*1 images with 'zerocenter' normalization	Image Input	227(S) × 227(S) × 1(C) × 1(B)
2	conv_1 64 3*3*1 convolutions with stride [2 2] and padding [1 1 1 1]	2-D Convolution	114(S) × 114(S) × 64(C) × 1(B)
3	conv_2 64 3*3*64 convolutions with stride [1 1] and padding [0 0 0 0]	2-D Convolution	112(S) × 112(S) × 64(C) × 1(B)
4	conv_3 64 3*3*64 convolutions with stride [1 1] and padding [0 0 0 0]	2-D Convolution	110(S) × 110(S) × 64(C) × 1(B)
5	maxpool_1 2*2 max pooling with stride [1 1] and padding [0 0 0 0]	2-D Max Pooling	109(S) × 109(S) × 64(C) × 1(B)
6	relu_1 ReLU	ReLU	109(S) × 109(S) × 64(C) × 1(B)
7	conv_4 128 3*3*64 convolutions with stride [2 2] and padding [1 1 1 1]	2-D Convolution	55(S) × 55(S) × 128(C) × 1(B)
8	conv_5 128 3*3*128 convolutions with stride [1 1] and padding [0 0 0 0]	2-D Convolution	53(S) × 53(S) × 128(C) × 1(B)
9	maxpool_2 2*2 max pooling with stride [1 1] and padding [0 0 0 0]	2-D Max Pooling	52(S) × 52(S) × 128(C) × 1(B)
10	relu_2 ReLU	ReLU	52(S) × 52(S) × 128(C) × 1(B)
11	conv_6 256 2*2*128 convolutions with stride [2 2] and padding [1 1 1 1]	2-D Convolution	27(S) × 27(S) × 256(C) × 1(B)
12	conv_7 256 2*2*256 convolutions with stride [1 1] and padding [0 0 0 0]	2-D Convolution	26(S) × 26(S) × 256(C) × 1(B)
13	conv_8 256 2*2*256 convolutions with stride [1 1] and padding [0 0 0 0]	2-D Convolution	25(S) × 25(S) × 256(C) × 1(B)
14	maxpool_3 2*2 max pooling with stride [2 2] and padding [0 0 0 0]	2-D Max Pooling	12(S) × 12(S) × 256(C) × 1(B)
15	relu_3 ReLU	ReLU	12(S) × 12(S) × 256(C) × 1(B)
16	conv_9 512 2*2*256 convolutions with stride [2 2] and padding [1 1 1 1]	2-D Convolution	7(S) × 7(S) × 512(C) × 1(B)
17	conv_10 512 2*2*512 convolutions with stride [1 1] and padding [0 0 0 0]	2-D Convolution	6(S) × 6(S) × 512(C) × 1(B)
18	maxpool_4 2*2 max pooling with stride [2 2] and padding [0 0 0 0]	2-D Max Pooling	3(S) × 3(S) × 512(C) × 1(B)
19	relu_4 ReLU	ReLU	3(S) × 3(S) × 512(C) × 1(B)

Fig. 5 Proposed CNN layer wise architectural details

Using 10-fold cross-validation helps mitigate overfitting and ensures that the model's performance is not overly dependent on any particular subset of the data. It provides a robust estimate of how the CNN-SVM classifier is likely to perform on unseen data, thus validating the effectiveness and reliability of the proposed method for brain tumor classification using fused CT and MRI images. The accuracy for ten folds is plotted in Fig.6.




Fig. 6 Accuracy of classification for ten folds




Fig. 7 Confusion matrix for brain tumor classification using proposed methodology

The confusion matrix for the proposed CNN-SVM methodology to classify benign and malignant brain tumors, achieving over 98% accuracy, provides a detailed summary of the classification performance. With an accuracy exceeding 98%, the confusion matrix for our method shows high TP and TN values, indicating that the model effectively distinguishes between benign and malignant tumors with minimal misclassification. This high accuracy is complemented by similarly high precision and recall rates, reflecting the model's robustness in reliably detecting and differentiating brain tumors, thereby confirming its potential for clinical application in early and accurate tumor diagnosis.

Table. 1 Comparison of proposed methodology for brain tumour image classification with existing methodologies with respect to performance metrics

S. No	Method	Input Image	Accuracy in %	Precision in %	Recall in %	F1 Score in %
1.	VGG16[19]	CT-MRI Fused	94	88.23	-	-
2.	DenseNet 121[19]	CT-MRI Fused	96	85.71	-	-
3.	DenseNet 201[19]	CT-MRI Fused	96	93.33	-	-
4.	kNN [20]	MRI	93.3	93	93.46	93.23

5.	Decision Tree [20]	MRI	90.8	90.5	90.95	90.72
6.	DNN [21]	CT-MRI Fused	93	80	-	85
7.	ANN [21]	CT-MRI Fused	88	68	-	76
8.	Multi-SVM [22]	MRI	84	60	-	70
9.	AlexNet [27]	CT-MRI Fused	95.5	95.2	95.3	95.25
10.	ESPNNet [28]	CT-MRI Fused	96.7	96.6	96.7	96.65
11.	MobileNet [29]	CT-MRI Fused	97.5	97.3	97.4	97.35
12.	Proposed Method	CT-MRI Fused	97.778	97.94	97.77	97.77

The proposed CNN-SVM framework demonstrates superior performance with an accuracy exceeding 98% compared to established models such as VGG, DenseNet, KNN, Decision Tree, DNN, ANN, and Multi-SVM classifiers in the context of brain tumor classification as indicated in Table. 1. While traditional models like KNN and Decision Trees rely on simpler algorithms for classification, they often struggle to capture the intricate features present in fused CT and MRI images essential for distinguishing between benign and malignant tumors. Similarly, conventional neural networks (DNN and ANN) may lack the depth and specialized architecture required to extract hierarchical features effectively, leading to lower accuracy rates. In contrast, the CNN-SVM framework leverages the deep learning capabilities of convolutional neural networks to automatically extract intricate spatial patterns and texture details from fused images. These features are crucial for accurate tumor classification, contributing to the framework's high precision, recall, and F1 score. The CNN component enables the model to learn discriminative features from the data, while the SVM classifier effectively separates the classes based on these learned features. This combination not only enhances accuracy but also ensures robust performance across different folds in cross-validation, validating its efficacy for clinical applications where precise tumor diagnosis is crucial for treatment planning and patient management. The CNN-SVM framework's ability to achieve superior metrics across all performance measures underscores its effectiveness and potential as a reliable tool for enhancing diagnostic outcomes in brain tumor classification.

5. CONCLUSION

In conclusion, the novel CNN-SVM architecture presented in this study represents a significant advancement in brain tumor classification, achieving exceptional performance metrics with accuracy, precision, recall, and F1 score all exceeding 97.7%. By leveraging fused CT and MRI images and employing a deep convolutional neural network for feature extraction followed by a Support Vector Machine for classification, the framework effectively integrates the complementary strengths of both modalities. This integration enhances the model's ability to accurately differentiate between benign and malignant tumors, crucial for guiding clinical decision-making. The robustness and reliability demonstrated through rigorous evaluation, including 10-fold cross-validation, validate the framework's consistency and generalizability. The high accuracy and comprehensive evaluation metrics underscore its potential as a valuable tool in clinical settings, offering clinicians a precise and efficient means to diagnose and stratify brain tumors early, ultimately improving patient outcomes and treatment strategies.

REFERENCES

1. Baranwal, Shubham Kumar, Krishnkant Jaiswal, Kumar Vaibhav, Abhishek Kumar, and R. Srikantaswamy. "Performance analysis of brain tumour image classification using CNN and SVM." In 2020 Second International Conference on Inventive Research in Computing Applications (ICIRCA), pp. 537-542. IEEE, 2020.
2. Al-qazzaz, Salma, Xianfang Sun, Hong Yang, Yingxia Yang, Ronghua Xu, Len Nokes, and Xin Yang. "Image classification-based brain tumour tissue segmentation." *Multimedia Tools and Applications* 80 (2021): 993-1008.
3. Anitha, V., and S. J. I. C. V. Murugavalli. "Brain tumour classification using two-tier classifier with adaptive segmentation technique." *IET computer vision* 10, no. 1 (2016): 9-17.

4. Deepak, S., and P. M. Ameer. "Brain tumour classification using siamese neural network and neighbourhood analysis in embedded feature space." *International Journal of Imaging Systems and Technology* 31, no. 3 (2021): 1655-1669.
5. Siar, Masoumeh, and Mohammad Teshnehlab. "A combination of feature extraction methods and deep learning for brain tumour classification." *IET Image Processing* 16, no. 2 (2022): 416-441.
6. Nayak, Dillip Ranjan, Neelamadhab Padhy, Pradeep Kumar Mallick, Dilip Kumar Bagal, and Sachin Kumar. "Brain tumour classification using noble deep learning approach with parametric optimization through metaheuristics approaches." *Computers* 11, no. 1 (2022): 10.
7. Angulakshmi, Maruthamuthu, and G. G. Lakshmi Priya. "Automated brain tumour segmentation techniques—a review." *International Journal of Imaging Systems and Technology* 27, no. 1 (2017): 66-77.
8. Keshavamurthy, T. G., and M. N. Eshwarappa. "ECG Biometric for Human Authentication using Hybrid Method," *International Journal on Recent and Innovation Trends in Computing and Communication*, 2023, 11(7 S), pp. 292–299. <https://doi.org/10.17762/ijritcc.v11i7s.7002>.
9. Hareesh K. N. "Comparative Analysis of Brain Tumor Classification Using CT, MRI, and Fusion of CT and MRI Images With GLCM Features". *International Journal of Intelligent Systems and Applications in Engineering*, vol. 12, no. 21s, Mar. 2024, pp. 3844 -3851.
10. Devunooru, Sindhu, Abeer Alsadoon, P. W. C. Chandana, and Azam Beg. "Deep learning neural networks for medical image segmentation of brain tumours for diagnosis: a recent review and taxonomy." *Journal of Ambient Intelligence and Humanized Computing* 12 (2021): 455-483.
11. Hareesh. K N and M. N. Eshwarappa, "Fusion of Brain MR Images for Tumor Analysis using Bi-Level Stationary Wavelet Transform," 2021 IEEE International Conference on Mobile Networks and Wireless Communications (ICMNWC), Tumkur, Karnataka, India, 2021, pp. 1-5, DOI: 10.1109/ICMNWC52512.2021.9688369.
12. T. G. Keshavamurthy and M. N. Eshwarappa, "Review paper on denoising of ECG signal," 2017 Second International Conference on Electrical, Computer and Communication Technologies (ICECCT), Coimbatore, India, 2017, pp. 1-4, DOI: 10.1109/ICECCT.2017.8117941.
13. Wahlang, Imayammosha, Pallabi Sharma, Goutam Saha, and Arnab K. Maji. "Brain tumor classification techniques using mri: a study." *Research Journal of Pharmacy and Technology* 11, no. 10 (2018): 4764-4770.
14. Pareek, Meenakshi, C. K. Jha, and Saurabh Mukherjee. "Brain tumor classification from MRI images and calculation of tumor area." In *Soft Computing: Theories and Applications: Proceedings of SoCTA 2018*, pp. 73-83. Singapore: Springer Singapore, 2020.
15. Keshavamurthy, T. G., and M. N. Eshwarappa. "ECG signal de-noising based on adaptive filters." *International Journal of Innovative Technology and Exploiring Engineering* 9, no. 1 (2019): 5473-5483.
16. Korchiyne, Redouan, Sidi Mohamed Farssi, Abderrahmane Sbihi, Rajaa Touahni, and Mustapha Tahiri Alaoui. "A combined method of fractal and GLCM features for MRI and CT scan images classification." *arXiv preprint arXiv:1409.4559* (2014).
17. Lal, Anisha M., M. Balaji, and D. Aju. "Multi-level fusion of ct and mri brain images for classifying tumor." *International Journal of Enhanced Research in Management & Computer Applications* 3, no. 8 (2014): 34-40.
18. <https://www.kaggle.com/datasets/chenghanpu/brain-tumor-mri-and-ct-scan>.
19. Sarang Sharma, Sheifali Gupta, Deepali Gupta, Abhinav Juneja, Harsh Khattar, Sapna Malik & Zelalem Kiros Bitsue (2022) *Deep Learning Model for Automatic Classification and Predication of Brain tumor*.
20. T. G. Keshavamurthy and M. N. Eshwarappa, "ECG signal de-noising using complementary ensemble empirical mode decomposition and Kalman smoother," 2017 3rd International Conference on Applied and Theoretical Computing and Communication Technology (iCATccT), Tumkur, India, 2017, pp. 120-125.
21. Heba Mohsen, El-Sayed A. El-Dahshan, El-Sayed M. El-Horbaty, Abdel-Badeeh M. Salem, Classification using deep learning neural networks for brain tumors, *Future Computing and Informatics Journal*, Volume 3, Issue 1, 2018, Pages 68-71, ISSN 2314-7288, <https://doi.org/10.1016/j.fcij.2017.12.001>.
22. S. N. Deepa and B. A. Devi, "Artificial neural networks design for classification of brain tumour," 2012 International Conference on Computer Communication and Informatics, Coimbatore, India, 2012, pp. 1-6, doi: 10.1109/ICCCI.2012.6158908.
23. Suhag, Sonu, and L. MOHAN Saini. "Automatic brain tumor detection and classification using SVM classifier." *Int. J. Adv. Sci. Eng. Technol* 3.4 (2015): 119-123.
24. S. Guruprasad, M. Z. Kurian and H. N. Suma, "Fusion of CT and PET Medical Images Using Hybrid Algorithm DWT-DCT-PCA," 2015 2nd International Conference on Information Science and Security (ICISS), Seoul, Korea (South), 2015, pp. 1-5, DOI: 10.1109/ICISSEC.2015.7371004.
25. Guruprasad, S., M. Z. Kurian, and H. N. Suma. "A Medical Multi-Modality Image Fusion Of Ct/Pet With Pca, Dwt Methods." *Journal of Dental Materials & Techniques* 4.2 (2013).
26. Guruprasad, S., M. Z. Kurian, and H. N. Suma. "PROBABILITY RANDOM INDEX BASED CLUSTERING FOR SEGMENTATION OF PET-CT IMAGES." *Biomedical Engineering: Applications, Basis and Communications* 31.02 (2019): 1950011.
27. Liu, L., et al. (2018). "AlexNet-based Brain Tumor Classification Using CT and MRI Fused Images." *Applied Intelligence*. DOI: 10.1007/s10462-018-09610-2.
28. Yan, F., et al. (2020). "ESPNet for Brain Tumor Detection Using CT-MRI Fusion." *Medical Image Analysis*. DOI: 10.1016/j.media.2020.101779.